

Цени на акумулатори VARTA и Perion с ДДС

ETN код	Цена с ДДС	Капацитет при	Стартов ток по	поляритет	клеми	закрепване	Дължина	ширина	височина	тегло
		[Ah]	[A]				[mm]			[kg]
VARTA Silver dynamic AGM										
560 901 068 D852	224	60	680	0	1	B13	242	175	190	17.70
570 901 076 D852	294	70	760	0	1	B13	278	175	190	20.40
580 901 080 D852	335	80	800	0	1	B13	315	175	190	22.50
595 901 085 D852	400	95	850	0	1	B13	353	175	190	26.40
605 901 095 D852	434	105	950	0	1	B13	393	175	190	29.20
VARTA Blue dynamic EFB										
560 500 056 D842	185	60	560	0	1	B13	242	175	190	16.50
565 500 065 D842	200	65	650	0	1	B13	278	175	175	18.40
570 500 065 D842	215	70	650	0	1	B13	278	175	190	18.90
575 500 073 D842	228	75	730	0	1	B13	315	175	175	20.70
580 500 073 D842	248	80	730	0	1	B13	315	175	190	21.30
VARTA Silver dynamic										
5,524,010,523,162	152	52	520	0	1	B13	207	175	175	12.27
5,544,000,533,162	157	54	530	0	1	B13	207	175	190	12.65
5,614,000,603,162	179	61	600	0	1	B13	242	175	175	14.34
5,634,000,613,162	183	63	610	0	1	B13	242	175	190	14.78
5,634,010,613,162	185	63	610	1	1	B13	242	175	190	14.78
5,744,020,753,162	209	74	750	0	1	B13	278	175	175	17.11
5,774,000,783,162	227	77	780	0	1	B13	278	175	190	17.94
5,852,000,803,162	245	85	800	0	1	B13	315	175	175	19.02
5,854,000,803,162	245	85	800	0	1	B13	315	175	190	19.76
6,004,020,833,162	283	100	830	0	1	B13	353	175	190	21.92
6,104,020,923,162	314	110	920	0	1	B13	393	175	190	24.48
VARTA Blue dynamic										
5,401,250,333,132	109	40	330	0	3	B01	187	140	227	10.10
5,401,260,333,132	109	40	330	0	3	B00	187	127	227	10.10
5,401,270,333,132	107	40	330	1	3	B00	187	127	227	10.10
5,444,010,423,132	115	44	420	0	1	B13	175	175	190	10.46
5,444,020,443,132	111	44	440	0	1	B13	207	175	175	11.29
5,451,550,333,132	117	45	330	0	3	B00	238	129	227	11.68
5,451,560,333,132	119	45	330	0	1	B00	238	129	227	11.68
5,451,570,333,132	116	45	330	1	3	B00	238	129	227	11.68
5,451,580,333,132	119	45	330	1	1	B00	238	129	227	11.68
5,524,000,473,132	137	52	470	0	1	B13	207	175	190	12.40
5,601,270,543,132	151	60	540	1	1	B13	242	175	190	14.34
5,604,080,543,132	152	60	540	0	1	B13	242	175	190	15.00
5,604,090,543,132	154	60	540	0	1	B13	242	175	175	13.89
5,604,100,543,132	158	60	540	0	1	B00	232	173	225	14.54
5,604,110,543,132	158	60	540	1	1	B00	232	173	225	14.54
5,704,120,633,132	186	70	630	0	1	B01	261	175	220	17.32

5,704,130,633,132	186	70	630	1	1	B01	261	175	220	17.32
5,724,090,683,132	186	72	680	0	1	B13	278	175	175	17.05
5,740,120,683,132	188	74	680	0	1	B13	278	175	190	17.87
5,740,130,683,132	190	74	680	1	1	B13	278	175	190	17.87
5,804,000,743,132	203	80	740	0	1	B13	315	175	190	19.10
5,804,060,743,132	203	80	740	0	1	B13	315	175	175	19.21
5,954,020,803,132	245	95	800	0	1	B13	353	175	190	21.32
5,954,040,833,132	248	95	830	0	1	B01	306	173	225	20.23
5,954,050,833,132	247	95	830	1	1	B01	306	173	225	20.23
VARTA Black dynamic										
5,404,060,343,122	104	40	340	0	1	B13	175	175	190	9.88
5,414,000,363,122	98	41	360	0	1	B13	207	175	175	10.68
5,450,770,303,122	106	45	300	0	1	B01	219	135	225	11.32
5,450,790,303,122	114	45	300	1	1	B01	219	135	225	11.32
5,454,120,403,122	95	45	400	0	1	B13	207	175	190	11.43
5,454,130,403,122	95	45	400	1	1	B13	207	175	190	11.43
5,534,010,503,122	115	53	500	0	1	B13	242	175	175	13.27
5,564,000,483,122	125	56	480	0	1	B13	242	175	190	13.70
5,564,010,483,122	123	56	480	1	1	B13	242	175	190	13.70
5,701,440,643,122	164	70	640	0	1	B13	278	175	175	16.00
5,704,090,643,122	161	70	640	0	1	B13	278	175	190	16.60
5,884,030,743,122	185	88	740	0	1	B13	353	175	175	20.25
5,901,220,723,122	196	90	720	0	1	B13	353	175	190	20.78
VARTA PRO motive Silver SHD										
645 400 080 A722	343	145	800	3	1	B00	513	189	223	36.62
680 108 100 A722	428	180	1000	3	1	B00	513	223	223	45.10
725 103 115 A722	537	225	1150	3	1	B00	518	276	242	56.75
VARTA PRO motive EFB										
680 500 100 E652	454	180	1000	3	1	B00	513	223	223	46.99
725 500 115 E652	569	225	1150	3	1	B00	518	276	242	59.47
VARTA PRO motive Blue HD										
640 103 080 A732	318	140	800	3	1	B00	513	189	223	35.76
640 400 080 A732	296	140	800	3	1	B03	513	189	223	35.76
670 103 100 A732	392	170	1000	3	1	B00	513	223	223	44.20
670 104 100 A732	362	170	1000	3	1	B03	513	223	223	44.20
715 400 115 A732	484	215	1150	3	1	B00	518	276	242	56.75
VARTA PRO motive Black										
602 103 068 A742	202	102	680	9	1	B01	330	172	240	24.42
610 404 068 A742	238	110	680	0	1	B01	347	173	234	28.58
610 047 068 A742	231	110	680	0	1	B00	347	173	234	28.58
625 012 072 A742	268	125	720	0	1	B00	349	175	290	31.22
625 014 072 A742	269	125	720	1	1	B00	349	175	290	31.22
625 023 000 A742	312	125		2	1	B00	286	269	230	36.80
635 052 100 A742	293	135	1000	3	1	B03	514	175	210	35.46
VARTA PRO motive Black										
643 107 090 A742	308	143	900	0	1	B01	508	174	205	36.50
654 011 115 A742	340	154	1150	3	1	B00	513	189	223	39.84
655 013 090 A742	335	155	900	3	1	B00	513	223	223	40.98
680 011 140 A742	392	180	1400	3	1	B00	513	223	223	46.42
690 033 120 A742	390	190	1200	4	1	B03	513	223	223	44.99
700 038 105 A742	422	200	1050	3	1	B00	518	276	242	53.61
720 018 115 A742	467	220	1150	3	1	B00	518	276	242	56.79
PERION										
5,351,180,307,482	85	35	300	1	3	B00	187	127	227	9.31
5,351,190,307,482	73	35	300	1	3	B00	187	127	227	9.31
5,354,000,337,482	76	35	330	0	1	B13	207	175	175	10.12
5,404,060,347,482	91	40	340	0	1	B13	175	175	190	9.78

5,414,000,367,482	91	41	360	0	1	B13	207	175	175	10.47
5,444,020,447,482	95	44	440	0	1	B13	207	175	175	11.05
5,451,060,307,482	95	45	300	0	1	B01	219	135	225	10.82
5,451,070,307,482	86	45	300	1	1	B01	219	135	225	10.82
5,451,550,337,482	96	45	330	0	3	B00	238	129	227	11.47
5,451,570,337,482	96	45	330	1	3	B00	238	129	227	11.47
5,454,120,407,482	93	45	400	0	1	B13	207	175	190	11.26
5,454,130,407,482	93	45	400	1	1	B13	207	175	190	11.26
5,504,030,447,482	107	50	440	0	1	B13	242	175	175	12.58
5,524,000,477,482	112	52	470	0	1	B13	207	175	190	12.19
5,534,000,477,482	104	53	470	0	1	B13	242	175	175	12.85
5,564,000,487,482	116	56	480	0	1	B13	242	175	190	13.44
5,564,010,487,482	104	56	480	1	1	B13	242	175	190	13.44
5,601,270,547,482	123	60	540	1	1	B13	242	175	190	14.03
5,604,080,547,482	122	60	540	0	1	B13	242	175	190	14.03
5,604,090,547,482	123	60	540	0	1	B13	242	175	175	13.83
5,604,120,517,482	125	60	510	0	1	B00	232	173	225	14.05
5,604,130,517,482	125	60	510	1	1	B00	232	173	225	14.05
5,684,030,577,482	131	68	570	0	1	B13	278	175	175	15.32
5,684,040,557,482	146	68	550	0	1	B01	261	175	220	15.59
5,684,050,557,482	146	68	550	1	1	B01	261	175	220	15.59
5,701,440,647,482	136	70	640	0	1	B13	278	175	175	15.72
5,704,090,647,482	144	70	640	0	1	B13	278	175	190	16.23
5,704,100,647,482	136	70	640	1	1	B13	278	175	190	16.23
5,724,090,687,482	149	72	680	0	1	B13	278	175	175	15.93
5,741,040,687,482	152	74	680	0	1	B13	278	175	190	16.45
5,804,060,747,482	169	80	740	0	1	B13	315	175	175	17.82
5,834,000,727,482	170	83	720	0	1	B13	353	175	175	19.24
5,901,220,727,482	179	90	720	0	1	B13	353	175	190	20.34
5,914,000,747,482	187	91	740	0	1	B01	306	173	225	19.52
5,914,010,747,482	182	91	740	1	1	B01	306	173	225	19.52
5,954,020,807,482	198	95	800	0	1	B13	353	175	190	20.84
PERION										
6,021,020,687,482	195	102	680	9	1	B01	330	172	240	24.42
6,100,470,687,482	224	110	760	0	1	B00	347	173	234	28.58
6,100,480,687,482	212	110	680	1	1	B00	347	173	234	28.58
6,250,120,727,482	258	125	760	0	1	B00	349	175	290	31.22
6,250,140,727,482	254	125	720	1	1	B00	349	175	290	31.22
6,350,521,007,482	275	135	760	3	1	B03	514	175	210	35.46
6,400,350,767,482	285	140	760	3	1	B00	513	189	223	35.72
6,700,431,007,482	350	170	1000	3	1	B00	513	223	223	43.93
6,800,321,007,482	357	180	1000	3	1	B00	513	223	223	43.93
6,800,331,107,482	363	180	1100	4	1	B03	513	223	223	44.99
7,000,381,057,482	360	200	1050	3	1	B00	518	276	242	53.61
7,250,121,157,482	456	225	1150	3	1	B00	518	276	242	56.78